



LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
AD	00	M		EC 0G3C 0759 04	28JAN05	BSV	JLG
		M1		REVISED PER ECO-09-020689	28AUG09	KK	AEG



HOUSING (SEE TABLE FOR PART NO)

POSITION # 1 INDICATOR (FAR SIDE)

CONTACT IDENTIFICATION LETTER "B" (LOCATED ON THIS AREA)



- 1 CONTACTS ARE LATCHED INTO THE PRELOAD WINDOWS
- 2 USE WITH #22-#26 AWG WIRE SIZE, .054/.030 INSULATION DIAMETER, .015 MAXIMUM INSULATION THICKNESS
- 3 THE DIMENSION APPLIES WITH THE FORWARD PRELOAD STOP IN CONTACT WITH THE HOUSING SURFACE
- 4 POINT OF MEASUREMENT FOR PLATING THICKNESS
- 5 FOR STRIP ASSEMBLIES SEE PART NUMBER 103970
- 6 POINT OF MEASUREMENT FOR PLATING THICKNESS (INSIDE BEAMS)
- 7 CONTACTS: .000030 GOLD IN THE CONTACT AREA, .000050-.000100 BRIGHT TIN-LEAD ON THE TERMINATION AREA, ALL OVER .000050 NICKEL
- 8 CONTACTS: .000030 GOLD IN THE CONTACT AREA, .000050-.000100 MATTE TIN ON THE TERMINATION AREA, ALL OVER .000050 NICKEL
- 9 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

8	2-103648-4	25	7-103900-4
8	2-103648-3	24	7-103900-3
8	2-103648-2	23	7-103900-2
8	2-103648-1	22	7-103900-1
8	2-103648-0	21	7-103900-0
8	1-103648-9	20	6-103900-9
8	1-103648-8	19	6-103900-8
8	1-103648-7	18	6-103900-7
8	1-103648-6	17	6-103900-6
8	1-103648-5	16	6-103900-5
8	1-103648-4	15	6-103900-4
8	1-103648-3	14	6-103900-3
8	1-103648-2	13	6-103900-2
7	2-103648-4	25	2-103900-4
7	2-103648-3	24	2-103900-3
7	2-103648-2	23	2-103900-2
7	2-103648-1	22	2-103900-1
7	2-103648-0	21	2-103900-0
7	1-103648-9	20	1-103900-9
7	1-103648-8	19	1-103900-8
7	1-103648-7	18	1-103900-7
7	1-103648-6	17	1-103900-6
7	1-103648-5	16	1-103900-5
7	1-103648-4	15	1-103900-4
7	1-103648-3	14	1-103900-3
7	1-103648-2	13	1-103900-2

SUPERSEDED BY	1-103970-1	1-103648-1	12	1-103900-1
SUPERSEDED BY	1-103970-0	1-103648-0	11	1-103900-0
SUPERSEDED BY	103970-9	103648-9	10	103900-9
SUPERSEDED BY	103970-8	103648-8	9	103900-8
SUPERSEDED BY	103970-7	103648-7	8	103900-7
SUPERSEDED BY	103970-6	103648-6	7	103900-6
SUPERSEDED BY	103970-5	103648-5	6	103900-5
SUPERSEDED BY	103970-4	103648-4	5	103900-4
SUPERSEDED BY	103970-3	103648-3	4	103900-3
SUPERSEDED BY	103970-2	103648-2	3	103900-2
SUPERSEDED BY	103970-1	103648-1	2	103900-1

PLATING	HOUSING PART NUMBER	NO OF POSN	ASSEMBLY PART NUMBER
---------	---------------------	------------	----------------------

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN L. MAYER 05 NOV 1986	Tyco Electronics Corporation Harrisburg, Pa 17105-3608	
DIMENSIONS: INCHES		CHK P. DEJONG 12-11-86	NAME RCPT ASSY, AMPMODU MTE, SINGLE ROW, .100 CL WITH GUIDE RIBS, FOR #22-#26 AWG WIRE SIZE	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD 12-11-86	PRODUCT SPEC 108-25034	
0 PLC ± -		APPLICATION SPEC 114-25026		
1 PLC ± -		SIZE A2		
2 PLC ± .02		CAGE CODE 00779		
3 PLC ± .005		DRAWING NO C=103900		
4 PLC ± -		RESTRICTED TO -		
ANGLES ± -		SCALE 4:1		
FINISH SEE TABLE		SHEET 1 OF 1		
MATERIALS: HOUSING- FLAME RETARDANT THERMOPLASTIC, COLOR-BLACK		REV M1		
CONTACTS- PHOS BRONZE		CUSTOMER DRAWING		