

## Printed-circuit board connector - MDSTBVH 2,5/ 2-G RD - 1921531

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Header, Nominal current: 12 A, Number of positions: 2, Pitch: 5 mm, Color: red, Contact surface: Tin

### Key commercial data

|                                      |          |
|--------------------------------------|----------|
| Packing unit                         | 1 pc     |
| Weight per Piece (excluding packing) | 2.9 GRM  |
| Custom tariff number                 | 85366990 |
| Country of origin                    | Poland   |

### Technical data

#### Dimensions

|             |      |
|-------------|------|
| Pitch       | 5 mm |
| Dimension a | 5 mm |

#### General

|                       |                  |
|-----------------------|------------------|
| Range of articles     | MDSTBVH 2,5/..-G |
| Rated voltage (III/3) | 250 V            |
| Nominal current $I_N$ | 12 A             |
| Color                 | red              |
| Number of positions   | 2                |

### Classifications

#### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 4.0 | 272607xx |
| eCl@ss 4.1 | 27260701 |
| eCl@ss 5.0 | 27260701 |
| eCl@ss 5.1 | 27260701 |
| eCl@ss 6.0 | 27260704 |
| eCl@ss 7.0 | 27440402 |

#### ETIM

|          |          |
|----------|----------|
| ETIM 3.0 | EC001121 |
| ETIM 4.0 | EC002637 |

# Printed-circuit board connector - MDSTBVH 2,5/ 2-G RD - 1921531

## Classifications

### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 30211810 |
| UNSPSC 7.0901 | 39121409 |
| UNSPSC 11     | 39121409 |
| UNSPSC 12.01  | 39121409 |
| UNSPSC 13.2   | 39121409 |

## Approvals

### Approvals


#### Approvals


UL Recognized / VDE report with production monitoring / cUL Recognized / IECCE CB Scheme / GOST / cULus Recognized

#### Ex Approvals

#### Approvals submitted


## Approval details

|   |       |       |
|---|-------|-------|
| UL Recognized  |       |       |
|   | B     | D     |
| Nominal current I <sub>N</sub>  | 12 A  | 10 A  |
| Nominal voltage U <sub>N</sub>  | 250 V | 300 V |

|   |       |
|---|-------|
| VDE report with production monitoring  |       |
| Nominal current I <sub>N</sub>  | 10 A  |
| Nominal voltage U <sub>N</sub>  | 250 V |


## Printed-circuit board connector - MDSTBVH 2,5/ 2-G RD - 1921531

### Approvals

|  |       |       |
|--|-------|-------|
| cUL Recognized  |       |       |
|  | B     | D     |
| Nominal current I <sub>N</sub>   | 12 A  | 10 A  |
| Nominal voltage U <sub>N</sub>   | 250 V | 300 V |

|                                |       |
|--------------------------------|-------|
| IECEE CB Scheme                |       |
|                                |       |
| Nominal current I <sub>N</sub> | 10 A  |
| Nominal voltage U <sub>N</sub> | 250 V |

|  |
|--|
| GOST  |
|--|

|  |
|--|
| cULus Recognized  |
|--|