





PRODUCT NUMBER SEE SHEET 2




spec ref		dr	Rainbow Zhan	2014/09/21	projection MM	size	A3	scale	3:2
tolerance std		eng	Vicking Liu	2015/10/29		ecn no	ELX-DG-22326-1		
ASME Y14.5		chr	Fancy Zhang	2015/11/02			rel level	Released	
TOLERANCES UNLESS OTHERWISE SPECIFIED		appr	Pei-Ming Zheng	2015/11/02	product family	PwrBlade+			
surface	linear	0.X	±0.50	www.fci.com	cat. no.	13HP + 24S RA PF HEADER	dwg no	10106263-D006002	rev
		0.XX	±0.25						
0.XXX	±0.10								
ASME Y14.5	angular	0°	±2°	Product - Customer Drw		sheet 1 of 3			



Copyright FCI.

PRODUCT NO. 10106263-D006002LF	ROWS DCBA	HIGH POWER													SIGNAL						E2
		E1	P1	P2	P3	P4	P5	P6	P7	P8	P9	P10	P11	P12	P13	1	2	3	4	5	



CODE	DESCRIPTION
FD	FMLB SIGNAL CONTACT, ROW D (3.05)
HA	METAL HOLD DOWN
HE	STD HIGH POWER CONTACT (3.05)
LA	LMFB SIGNAL CONTACT, ROW A (3.05)
LC	LMFB SIGNAL CONTACT, ROW C (3.05)
SA	STD SIGNAL CONTACT, ROW A (3.05)
SB	STD SIGNAL CONTACT, ROW B (3.05)
SC	STD SIGNAL CONTACT, ROW C (3.05)
SD	STD SIGNAL CONTACT, ROW D (3.05)




dr	Rainbow Zhan	2014/09/21	projection	MM	size	A3	scale	3:2		
eng	Vicking Liu	2015/10/29			ecn no	ELX-DG-22326-1	rel level	Released		
chr	Fancy Zhang	2015/11/02								
appr	Pei-Ming Zheng	2015/11/02	product family	PwrBlade+						
			13HP + 24S RA PF HEADER			dwg no	10106263-D006002		rev	C
www.fci.com			cat. no.		Product - Customer Drw			sheet 2 of 3		

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION: 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS ARE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ±0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ±0.07MM HOLE.
- 8) PRODUCT SPECIFICATION: GS-12-658.
APPLICATION SPECIFICATION: GS-20-141.
PRODUCT PACKAGED IN TRAYS: GS-14-1502.



Copyright FCI.

dr	Rainbow Zhan	2014/09/21	projection 	MM 	size	A3	scale	3:2
eng	Vicking Liu	2015/10/29			ecn no	ELX-DG-22326-1		
chr	Fancy Zhang	2015/11/02			product family	PwrBlade+	rel level	Released
appr	Pei-Ming Zheng	2015/11/02			 title 13HP + 24S RA PF HEADER		dwg no 10106263-D006002	rev C
www.fci.com		cat. no.	Product - Customer Drw		sheet 3 of 3			