



- NOTES:
 1. MATERIAL: SEE TABLE
 2. FINISHES: SEE TABLE
 3. PRODUCT SPECIFICATION: NOT REQUIRED
 4. PACKAGING: NOT REQUIRED
 5. MATES WITH: NONE
 6. 'XX' REFERS TO THE QUANTITY OF CIRCUITS.
 7. INCH DIMENSIONS ARE SHOWN IN BRACKETS [XXX].
 8. ASSEMBLY IS ROHS COMPLIANT.

©

| | | | | |
|------|------|--|---------------|-----------------|
| 6 | XX*2 | SCREW, #6-32X.250, PAN HD, PH-SL W/WSHR (-50 OPTION) | STEEL | ZINC W/CHROMATE |
| 5 | XX*2 | SCREW, #6-32X.250, BGHD, PHIL-SLOT (-49 OPTION) | BRASS | NICKEL |
| 4 | XX*2 | SCREW, #6-32X.250, BGHD, PHIL-SLOT (STANDARD) | STEEL | ZINC W/CHROMATE |
| 3 | XX | TERMINAL PLATE (-49 OPTION) | BRASS | TIN |
| 2 | XX | TERMINAL PLATE | BRASS | NICKEL |
| 1 | 1 | INSULATOR | THERMOPLASTIC | BLACK |
| ITEM | QTY | DESCRIPTION | MATERIAL | FINISH |

ADDED -49 & -50 OPTION
 EC NO: ETC2007-0195
 DRW: NEHLE 2006/11/13
 CHKD: JMACNEIL 2006/11/13
 APPR: JMACNEIL 2006/11/13

QUALITY SYMBOLS
 ▽=0
 ▽=0

| GENERAL TOLERANCES (UNLESS SPECIFIED) | |
|--|---------|
| | mm |
| 4 PLACES | ± --- |
| 3 PLACES | ± 0.038 |
| 2 PLACES | ± 0.13 |
| 1 PLACE | ± 0.3 |
| ANGULAR ± 2 ° | |
| DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS | |

| DIMENSION STYLE | |
|-----------------|------------|
| MM/IN | |
| DRAWN BY | DATE |
| R. KEMP | 2002/10/10 |
| CHECKED BY | DATE |
| P. WALTZ | 2002/10/14 |
| APPROVED BY | DATE |
| L. ROTHHAUS | 2002/10/14 |
| MATERIAL NO. | |
| SEE CHART | |

| | | |
|---|--------------|------------------------|
| SCALE | DESIGN UNITS | THIRD ANGLE PROJECTION |
| 2:1 | INCH | |
| TITLE | | |
| 9.53MM [.375] DOUBLE ROW BTS ASSEMBLY | | |
| MATERIAL NO. | | |
| SD-38760-001 | | |
| DOCUMENT NO. | | SHEET NO. |
| SD-38760-001 | | 1 OF 2 |
| THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION | | |

F
E
D
C
B
A

| NO. OF CIRCUITS "XX" | DIM. "A" | DIM. "B" | DIM. "C" | DIM. "D" | ASSEMBLY MATERIAL NO. (STANDARD) | ASSEMBLY MATERIAL NO. (-49 OPTION) | ASSEMBLY MATERIAL NO. (-50 OPTION) |
|----------------------|---------------|-----------------|---------------|---------------|----------------------------------|------------------------------------|------------------------------------|
| 2 | 35.7 [1.41] | 9.53 [.375] | 28.6 [1.13] | 21.3 [.84] | 38760-0102 | 387600202 | 387600302 |
| 3 | 45.2 [1.78] | 19.05 [.750] | 38.1 [1.50] | 30.8 [1.21] | 38760-0103 | 387600203 | 387600303 |
| 4 | 54.7 [2.16] | 28.58 [1.125] | 47.6 [1.88] | 40.3 [1.59] | 38760-0104 | 387600204 | 387600304 |
| 5 | 64.3 [2.53] | 38.10 [1.500] | 57.2 [2.25] | 49.8 [1.96] | 38760-0105 | 387600205 | 387600305 |
| 6 | 73.8 [2.91] | 47.63 [1.875] | 66.7 [2.63] | 59.4 [2.34] | 38760-0106 | 387600206 | 387600306 |
| 7 | 83.3 [3.28] | 57.15 [2.250] | 76.2 [3.00] | 68.9 [2.71] | 38760-0107 | 387600207 | 387600307 |
| 8 | 92.8 [3.66] | 66.68 [2.625] | 85.7 [3.38] | 78.4 [3.09] | 38760-0108 | 387600208 | 387600308 |
| 9 | 102.4 [4.03] | 76.20 [3.000] | 95.3 [3.75] | 87.9 [3.46] | 38760-0109 | 387600209 | 387600309 |
| 10 | 111.9 [4.41] | 85.73 [3.375] | 104.8 [4.13] | 97.5 [3.84] | 38760-0110 | 387600210 | 387600310 |
| 11 | 121.4 [4.78] | 95.25 [3.750] | 114.3 [4.50] | 107.0 [4.21] | 38760-0111 | 387600211 | 387600311 |
| 12 | 130.9 [5.16] | 104.78 [4.125] | 123.8 [4.88] | 116.5 [4.59] | 38760-0112 | 387600212 | 387600312 |
| 13 | 140.5 [5.53] | 114.30 [4.500] | 133.4 [5.25] | 126.0 [4.96] | 38760-0113 | 387600213 | 387600313 |
| 14 | 150.0 [5.91] | 123.83 [4.875] | 142.9 [5.63] | 135.6 [5.34] | 38760-0114 | 387600214 | 387600314 |
| 15 | 159.5 [6.28] | 133.35 [5.250] | 152.4 [6.00] | 145.1 [5.71] | 38760-0115 | 387600215 | 387600315 |
| 16 | 169.0 [6.66] | 142.88 [5.625] | 161.9 [6.38] | 154.6 [6.09] | 38760-0116 | 387600216 | 387600316 |
| 17 | 178.6 [7.03] | 152.40 [6.000] | 171.5 [6.75] | 164.1 [6.46] | 38760-0117 | 387600217 | 387600317 |
| 18 | 188.1 [7.41] | 161.93 [6.375] | 181.0 [7.13] | 173.7 [6.84] | 38760-0118 | 387600218 | 387600318 |
| 19 | 197.6 [7.78] | 171.45 [6.750] | 190.5 [7.50] | 183.2 [7.21] | 38760-0119 | 387600219 | 387600319 |
| 20 | 207.1 [8.16] | 180.98 [7.125] | 200.0 [7.88] | 192.7 [7.59] | 38760-0120 | 387600220 | 387600320 |
| 21 | 216.7 [8.53] | 190.50 [7.500] | 209.6 [8.25] | 202.2 [7.96] | 38760-0121 | 387600221 | 387600321 |
| 22 | 226.2 [8.91] | 200.03 [7.875] | 219.1 [8.63] | 211.8 [8.34] | 38760-0122 | 387600222 | 387600322 |
| 23 | 235.7 [9.28] | 209.55 [8.250] | 228.6 [9.00] | 221.3 [8.71] | 38760-0123 | 387600223 | 387600323 |
| 24 | 245.2 [9.66] | 219.08 [8.625] | 238.1 [9.38] | 230.8 [9.09] | 38760-0124 | 387600224 | 387600324 |
| 25 | 254.8 [10.03] | 228.60 [9.000] | 247.7 [9.75] | 240.3 [9.46] | 38760-0125 | 387600225 | 387600325 |
| 26 | 264.3 [10.41] | 238.13 [9.375] | 257.2 [10.13] | 249.9 [9.84] | 38760-0126 | 387600226 | 387600326 |
| 27 | 273.8 [10.78] | 247.65 [9.750] | 266.7 [10.50] | 259.4 [10.21] | 38760-0127 | 387600227 | 387600327 |
| 28 | 283.3 [11.16] | 257.18 [10.125] | 276.2 [10.88] | 268.9 [10.59] | 38760-0128 | 387600228 | 387600328 |
| 29 | 292.9 [11.53] | 266.70 [10.500] | 285.8 [11.25] | 278.4 [10.96] | 38760-0129 | 387600229 | 387600329 |
| 30 | 302.4 [11.91] | 276.23 [10.875] | 295.3 [11.63] | 288.0 [11.34] | 38760-0130 | 387600230 | 387600330 |

| | | | | | | | | | |
|--|-------------------------------|---------------------------------------|--|--|---|-------|---|------------------------|---|
| ADDED -49 & -50 OPTION EC NO: ETC2007-0195 DRW: NEHLE 2006/11/13 CHKD: IMACNEIL 2006/11/13 APPR: IMACNEIL 2006/11/13 | QUALITY SYMBOLS ▽=0 ▽=0 | GENERAL TOLERANCES (UNLESS SPECIFIED) | | DIMENSION STYLE | | SCALE | DESIGN UNITS | THIRD ANGLE PROJECTION | |
| | | | | MM/IN | | 2:1 | INCH | | TITLE 9.53MM [.375] DOUBLE ROW BTS ASSEMBLY |
| | | | | 4 PLACES ± --- ±.0015 3 PLACES ± 0.038 ±.005 2 PLACES ± 0.13 ±.01 1 PLACE ± 0.3 ± --- | DRAWN BY R. KEMP DATE 2002/10/10 CHECKED BY P. WALTZ DATE 2002/10/14 | | MOLEX MOLEX INCORPORATED | | |
| | | | | ANGULAR ± 2 ° | APPROVED BY L. ROTHSAUS DATE 2002/10/14 | | MATERIAL NO. SEE CHART DOCUMENT NO. SD-38760-001 | | SHEET NO. 2 OF 2 |